

Appl. No. 10/719,755
Docket No. 9447
Amdt. dated November 13, 2006
Reply to Office Action mailed on September 25, 2006
Customer No. 27752

RECEIVED
CENTRAL FAX CENTER

NOV 13 2006

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Original) Anhydrous, antiperspirant compositions comprising:
 - a. a skin-adhering system comprising:
 - i) a skin-adhering polymer;
 - ii) one or more volatile solvents;
 - b. antiperspirant active;
 - c. thickening agent; and
 - d. an anhydrous carrierin an amount sufficient to provide antiperspirant efficacy.
2. (Original) The composition of claim 1 wherein the composition comprises
 - a. a skin-adhering system comprising:
 - i) from about 0.1% to about 30%, by weight, of a skin-adhering polymer;
 - ii) from about 0.1 to about 60%, by weight, of one or more volatile solvents;
 - b. from about 0.1 to about 30%, by weight, of an antiperspirant active;
 - c. from about 0.1 to about 35%, by weight, of a thickening agent; and
 - d. from about 10% to about 70%, by weight, of an anhydrous carrier.
3. (Original) The composition of claim 1 wherein the skin-adhering polymer is selected from the group consisting of acrylate polymers/co-polymers, silicone polymers/co-polymers, and mixtures thereof.

Appl. No. 10/719,755
Docket No. 9447
Amdt. dated November 13, 2006
Reply to Office Action mailed on September 25, 2006
Customer No. 27752

4. (Original) The composition of claim 3 wherein the acrylate polymer/co-polymer comprises monomers selected from the group consisting of acrylate monomers, methacrylate monomers, and mixtures thereof.
5. (Original) The composition of claim 3 wherein the silicone polymer/co-polymer comprises copolymers selected from the group consisting of silicone-acrylate copolymers, silicone-urethane copolymers, silicone-maleic anhydride copolymers, silicone resin copolymers, and mixtures thereof.
6. (Original) The composition of claim 1 wherein the skin-adhering polymer has a glass transition temperature (T_g) of from at least about -30°C to about 30°C.
7. (Original) The composition of claim 1 wherein the skin-adhering polymer exhibits film-formation at or above the entanglement molecular weight of the polymer used.
8. (Currently amended) The composition of claim 1 wherein the ratio of the weight ~~composition percentage~~ of polymer ~~is directly proportional to the weight composition percentage of the thickening agent wherein the weight composition of the polymer is from about 2:1 to about 0.5:1 and the weight composition of the thickening agent is at least about 1.~~
9. (Original) The composition of claim 1 wherein the volatile solvent is selected from the group consisting of alcohols, silicone fluids, fluorinated solvents, and mixtures thereof.
10. (Original) The composition of claim 9 wherein the alcohol is selected from the group consisting of ethanol, propanol, isopropanol, and mixtures thereof.

Appl. No. 10/719,755
Docket No. 9447
Amdt. dated November 13, 2006
Reply to Office Action mailed on September 25, 2006
Customer No. 27752

11. (Original) The composition of claim 1 wherein the antiperspirant active is selected from the group consisting of zirconium salts, aluminum salts, and mixtures thereof.
12. (Original) The composition of claim 1 wherein the thickening agent is selected from the group consisting of organic solids, silicone solids, gellants, inorganic particulates, and mixtures thereof.
13. (Original) The composition of claim 1 wherein the anhydrous carrier is a cyclic silicone fluid having from at least about 3 silicone atoms to about 7 silicone atoms.
14. (Original) The composition of claim 1 further comprising a pharmaceutical.
15. (Original) The composition of claim 1 further comprising a deodorant agent.
16. (Original) The composition of claim 1 further comprising an antimicrobial.
17. (Currently withdrawn) A method for inhibiting or preventing perspiration, which method comprises the step of topically applying to skin the composition of claim 1 in an amount sufficient to provide antiperspirant efficacy.
18. (Currently withdrawn) The method of claim 17 wherein the volatile anhydrous carrier leaves behind a skin-adhering polymer and active-containing film positioned over the sweat ducts to resist flaking and/or rub-off during perspiration.
19. (Currently withdrawn) A method of applying topically to the underarm from about 0.1g to about 20g the composition of claim 1 to reduce or inhibit perspiration wetness.

Appl. No. 10/719,755
Docket No. 9447
Amdt. dated November 13, 2006
Reply to Office Action mailed on September 25, 2006
Customer No. 27752

20. (Currently withdrawn) The method of making the composition of claim 1, which method comprises the step of providing a) a skin-adhering system comprising: i) a skin-adhering polymer; and ii) one or more volatile solvents; b) an antiperspirant active; c) a thickening agent; and d) an anhydrous carrier.